



megiston.com

HEADQUARTER



ETERNO IVICA SRL

Via Austria 25E
35127 Padova - Italy

+39 049 8530101
eternoivica@eternoivica.com
www.eternoivica.com

FILIALI BRANCHES



 eternoivica **uk**

Londra | London

 eternoivica **france**

Lione | Lyon

 eternoivica **eastern europe**

Zagabria | Zagreb

MADE IN ITALY

Nessuna parte di questa brochure può essere riprodotta in qualunque forma senza autorizzazione.
No parts of this publication may be reproduced in any form without prior permission.

08/2025

eternoivica

I N N O V A T I O N L E A D E R

Profilo perimetrale verticale

Vertical perimeter profile

IT | EN



Profilo perimetrale verticale

Vertical perimeter profile



Il Profilo Perimetrale Verticale è un elemento di chiusura e finitura dei bordi perimetrali nelle pavimentazioni sopraelevate esterne, si adatta perfettamente alle lastre di pavimentazione dello spessore di 20 mm e ai supporti che fungono da sottostruttura.

È un prodotto che combina l'estetica con la funzionalità e rende ancora più gradevole una pavimentazione esterna.

The Vertical Perimeter Profile is an element of closure and finishing of the perimeter edges in the external raised flooring, it adapts perfectly to the flooring slabs of 20 mm thickness and to the supports that act as a substructure.


It is a product that combines aesthetics with functionality and makes an outdoor flooring even more pleasant.

Il profilo è in alluminio e viene proposto in due colori standard: silver e grigio antracite; è corredato di due importanti accessori che sono il giunto lineare e il giunto angolare a 90°, anch'essi in alluminio e con le medesime colorazioni del profilo.


The profile is in aluminium and is available in two standard colours: silver and anthracite gray. It is equipped with two important accessories that are the linear joint and the 90° angular joint, also in aluminium and with the same colours of the profile.

Il profilo ha una lunghezza di 2,40 m mentre le altezze standard sono di 30-60-90-120-150 mm. Di facile e veloce installazione, è sufficiente appoggiare il lato con le feritoie sulle teste dei supporti, accostare i profili e inserire i giunti (lineare e ad angolo).

The profile has a length of 2.40 meters while the standard heights are 30-60-90-120-150 mm. Easy and quick to install, simply place the side with the slits on the heads of the supports, pull together the profiles and insert the joints (linear and angular).



Le misure sono espresse in millimetri.



Measurements are expressed in millimeters.

Profilo perimetrale verticale


Vertical perimeter profile



Guarda il video di presentazione



Watch the presentation video





Il Profilo Perimetrale Verticale si presta ad essere utilizzato con il sistema di posa **Pedestal** e con il nuovo sistema di posa con griglia **GRF – Grid Raised Floor**. Con l'utilizzo della griglia può essere utilizzato anche come elemento di chiusura per coperture con **erba sintetica**.

The Vertical Perimeter Profile is suitable for use with the **Pedestal** installation system and the new installation system with the **GRF – Grid Raised Floor**. When using the grid, it can also be used as a closure element for **synthetic grass coverings**.

Profilo perimetrale verticale con Pedestal System


Vertical perimeter profile with Pedestal System




Giunto lineare
Linear joint



Posizionamento profilo sui supporti
Positioning of the profile on the supports





Angolo esterno
External corner



Angolo interno
Internal corner

Profilo perimetrale verticale con GRF – Grid Raised Floor System


Vertical perimeter profile with Grid Raised Floor System




Giunto lineare
Linear joint



Posizionamento profilo sui supporti
Positioning of the profile on the supports



Angolo esterno
External corner



Angolo interno
Internal corner

CODICE CODE	COLORE COLOR	DESCRIZIONE DESCRIPTION	ALTEZZA HEIGHT H	LARGHEZZA LENGHT L	PZ
P021241030	Silver	Profilo perimetrale verticale Vertical perimeter profile	30 mm	2400 mm	10
P021251030	Antracite Anthracite				
P021241060	Silver	Profilo perimetrale verticale Vertical perimeter profile	60 mm	2400 mm	10
P021251060	Antracite Anthracite				
P021241090	Silver	Profilo perimetrale verticale Vertical perimeter profile	90 mm	2400 mm	5
P021251090	Antracite Anthracite				
P021241120	Silver	Profilo perimetrale verticale Vertical perimeter profile	120 mm	2400 mm	5
P021251120	Antracite Anthracite				
P021241150	Silver	Profilo perimetrale verticale Vertical perimeter profile	150 mm	2400 mm	5
P021251150	Antracite Anthracite				
P021241180	Silver	Profilo perimetrale verticale Vertical perimeter profile	180 mm	2400 mm	4
P021251180	Antracite Anthracite				
P021242030	Silver	Angolo 90° 90° angle	30 mm	-	1
P021252030	Antracite Anthracite				
P021242060	Silver	Angolo 90° 90° angle	60 mm	-	1
P021252060	Antracite Anthracite				
P021242090	Silver	Angolo 90° 90° angle	90 mm	-	1
P021252090	Antracite Anthracite				
P021242120	Silver	Angolo 90° 90° angle	120 mm	-	1
P021252120	Antracite Anthracite				
P021242150	Silver	Angolo 90° 90° angle	150 mm	-	1
P021252150	Antracite Anthracite				
P021242180	Silver	Angolo 90° 90° angle	180 mm	-	1
P021242180	Antracite Anthracite				
P021243030	Silver	Giunto lineare Linear joint	30 mm	-	1
P021253030	Antracite Anthracite				
P021243060	Silver	Giunto lineare Linear joint	60 mm	-	1
P021253060	Antracite Anthracite				
P021243090	Silver	Giunto lineare Linear joint	90 mm	-	1
P021253090	Antracite Anthracite				
P021243120	Silver	Giunto lineare Linear joint	120 mm	-	1
P021253120	Antracite Anthracite				
P021243150	Silver	Giunto lineare Linear joint	150 mm	-	1
P021253150	Antracite Anthracite				
P021243180	Silver	Giunto lineare Linear joint	180 mm	-	1
P021253180	Antracite Anthracite				



MADE IN ITALY

eternoivica
I N N O V A T I O N L E A D E R

