

# eternoivica

Strato Separatore in Gomma  
Supplementary rubber base



**ACCESSORI**  
**ACCESSORIES**

# Strato Separatore in gomma

## Supplementary rubber base



Lo strato separatore in gomma termoplastica (TPE) viene applicato sotto la base dei supporti, ha la funzione di proteggere il manto impermeabile dai supporti della pavimentazione sopraelevata, inoltre diminuisce il ponte acustico che si crea tra pavimento e piano di posa evitando il ripercuotersi del rumore da calpestio. Nella faccia inferiore sono indicate le linee di taglio in caso di necessità e il bordo in rilievo è fatto in modo che ci sia sempre una perfetta evacuazione dell'acqua piovana. Ha uno spessore di mm 2 e un diametro di mm 215.

The supplementary rubber base in thermoplastic rubber (TPE) is applied under the base of the pedestals and its function is to protect the waterproofing membrane from the supports of the raised flooring. It also decreases the acoustic impact created between the floor and the laying surface, creating a conduction barrier for impact sound. The bottom side of the base shows cutting lines if needed, and the raised edge allows an easy evacuation of rainwater.





Thickness is 2 mm and diameter is 215 mm.

### Vantaggi | Benefits

- Protegge il manto impermeabile dalla posa dei supporti di pavimentazione  
It protects the waterproofing membrane from the flooring supports
- Diminuisce il ponte acustico tra pavimento e piano di posa  
It decreases the acoustic impact between the floor and the laying surface

# Dati tecnici

## Technical data



CODICE CODE	TIPO TYPE	MISURA SIZE	PZ 
E083000300	Scudo separatore in gomma Supplementary rubber base	$\varnothing 215$ mm	50



MADE IN ITALY

eternoivica

**ETERNO IVICA SRL**

via Austria, 25/E  
35127 Padova - Italy

ITA +39 049 8530101  
EXP +39 049 8530102  
FAX +39 049 8530111

[eternoivica@eternoivica.com](mailto:eternoivica@eternoivica.com)  
[www.eternoivica.com](http://www.eternoivica.com)